SECOND DESK

INTERNATIONAL ADVISORY

Slabs & processing

Polished and finished slabs for distributors and fabricators

MARBLE & NATURAL STONE



AI-generated illustration | not an actual project reference

Product scope and commercial role

TECHNICAL SCOPE

- Gang-sawn or wire-sawn slabs
- Polished, honed and other finishes

SECOND DESK ROLE

Technical-commercial qualification, market development and manufacturer or partner coordination.



Source: Second Desk website | sector image, not project evidence

Product specification and buyer inputs

INPUTS REQUIRED BEFORE A COMPARABLE QUOTATION

- Material/lot
- Slab thickness and dimensions
- Finish
- Shade range
- Expected quantity

Confirm approved sample, specification revision and acceptance method before releasing volume.

Construction and selection criteria

DESIGN REVIEW POINTS

- Saw direction
- Thickness tolerance
- Resin/mesh treatment disclosure
- Polishing consistency and flatness

Selection trade-off

Review thickness, flatness, shade range and resin/mesh treatment disclosure. Verify slab finish under agreed lighting.

Project drawings, tolerances and design details remain subject to the responsible supplier or engineer.

Representative stone section and detail



AI-generated technical concept | not to scale or for fabrication

DETAILS TO CONFIRM WITH QUALIFIED SUPPLIER

- Saw direction
- Thickness tolerance
- Resin/mesh treatment disclosure
- Polishing consistency and flatness

Confirm the actual construction and dimensions from controlled supplier drawings or approved samples.

Manufacturing route and control points

Conceptual sequence for technical discussion. Actual layout and interfaces depend on the approved specification.



Approved inputs

Material/lot / Slab thickness and dimensions

Batch and product verification

Bundle inspection / Quantity, finish and dimensions

Production and processing stages



AI-generated manufacturing scene, illustrative only

TYPICAL CONTROLLED WORKFLOW

01 Saw blocks into slabs

02 Calibrate

03 Apply approved reinforcement or resin where needed

04 Polish and grade

Inspection and quality control

TYPICAL QUALITY CONTROL POINTS

01 Flatness and thickness checks

02 Visual review

03 Surface finish

04 Slab identification and traceability



AI-generated sector inspection scene; illustrative only

Inspection methods, sampling, hold points and sign-off depend on the order and approved quality plan.

Material approval and receiving criteria

Material or mock-up approval

- Review bundle photos and slab sequence
- Approve shade reference and finish sample
- Verify dimensions and thickness
- Confirm fabricator suitability

Final inspection / receipt

- Bundle inspection
- Quantity, finish and dimensions
- Lot-specific defect disclosure

Define sampling or approval method, approval authority and disposition of nonconforming product in writing.

Slab approval and fabricator handoff



AI-generated application scene; illustrative only

APPROVAL OR SITE HANDOFF

01 Review bundle photos and slab sequence

02 Approve shade reference and finish sample

03 Verify dimensions and thickness

04 Confirm fabricator suitability

Packing, logistics and delivery

PRODUCT-SPECIFIC PACKING CHECKS

01 Use suitable slab frames

02 Edge protection and restraint

03 Numbered bundles and photos

Define the Incoterms® rule, named place, export documents, insurance responsibilities and site receipt process in the commercial agreement.



AI-generated logistics scene; illustrative only

Technical and commercial risk review

Confirm bundle identity and slab sequence. Approve finish sample and defect acceptance before dispatch.

Reference control

Compare samples, lot traceability and buyer-approved specification.

Quality evidence

Request relevant test records, rejection policy and change control.

Delivery risk

Confirm order size, production window, packing and delivery programme.

Responsibilities across the supply chain

BUYER / SPECIFIER	SECOND DESK	MANUFACTURER / FABRICATOR
Defines product, approved samples, compliance, acceptance and delivery requirements.	Clarifies the opportunity, coordinates supplier qualification and keeps technical-commercial follow-up moving.	Owns engineering or product development, production, quality evidence, pricing and contractual supply.

Supplier names, manufacturing capability, certificates, references and country-specific approvals are verified for each enquiry; no standing partner or factory is implied.

RFQ and evidence package

01	**Material definition**	Stone selection, approved finish, lot or shade range, size and quantity.
02	**Supplier evidence**	Sample and test data, reserve or production capability, prior work where relevant.
03	**Commercial offer**	Block, bundle or cut schedule, lead time, pricing, packing and shipment terms.
04	**Order control**	Material approval, inspection criteria, piece or bundle IDs and delivery programme.

SECOND DESK

INTERNATIONAL ADVISORY

Discuss your next requirement

Share the application, target market or project, technical specification and expected delivery scope.

seconddeskinternational.com

Contact form: seconddeskinternational.com/#contact | Denizli, Türkiye | Meetings by appointment

SOURCE AND EVIDENCE NOTES

Second Desk sector page • ASTM International: dimension stone test methods • ICC Incoterms® guidance

Visuals: generated sector illustrations and Second Desk website imagery. Project provenance, supplier capabilities and certification remain unverified unless separately confirmed.